

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61B 10/00	A1	(11) International Publication Number: WO 96/19144 (43) International Publication Date: 27 June 1996 (27.06.96)
--	-----------	---

(21) International Application Number: PCT/US95/14516


(22) International Filing Date: 8 November 1995 (08.11.95)

(30) Priority Data:
08/358,899 19 December 1994 (19.12.94) US(71) Applicant: BALLARD MEDICAL PRODUCTS [US/US];
12050 Lone Peak Parkway, Draper, UT 84020 (US).(72) Inventor: COX, Dennis; 25479 Sheffield Ln., Saugus, CA
91350 (US).(74) Agents: NYDEGGER, Rick, D. et al.; Workman, Nydegger &
Seeley, 60 East South Temple, 1000 Eagle Gate Tower, Salt
Lake City, UT 84111 (US).(81) Designated States: AU, CA, JP, European patent (AT, BE,
CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT,
SE).**Published***With international search report.**With amended claims and statement.*

(54) Title: BIOPSY FORCEPS FOR OBTAINING TISSUE SPECIMEN AND OPTIONALLY FOR COAGULATION

(57) Abstract

Biopsy forceps (10), especially for endoscopic procedures, which enable tissue samples to be cut and retrieved, and which can coagulate the incision if necessary, while still at the situs of the excision. An electrically conductive control wire (14) is conductively connected to the jaws (24, 25) and spear (35) of the forceps (10). Should coagulation be required, a high frequency burst of electrical energy is applied to the control wire (14) and, thus, to the jaws (24, 25) and spear (35). The patient (45) is also connected into the circuit, usually through a metal plate (44) pressed against the patient's skin. The resulting heat coagulates the tissue which is in contact with the jaws (24, 25) and the spear (35).



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

BIOPSY FORCEPS FOR OBTAINING TISSUE SPECIMEN AND OPTIONALLY FOR COAGULATION

Field of the Invention

5 Biopsy forceps, especially for endoscopic procedures, which enable tissue samples to be cut and retrieved, and which can coagulate the incision if necessary, while still at the situs of the excision.

Background of the Invention

10 Biopsy forceps, especially those which are intended for endoscopic use, provide a pair of mutually articulated jaws that can be opened at a situs where tissue is to be excised, and closed to cut and contain the specimen so it can be removed and examined. This is a routine procedure which rarely involves a complication. The wound is small and routinely heals.

15 However, the location of the situs is always concealed from the surgeon, who must rely on telescopic or video means to observe the procedure, and occasionally a cut will be made through a vessel. In that event coagulation is necessary. In the prior art the forceps must be removed, and then coagulating means must be passed to the bleeding situs. The blood at the situs obscures the wound from being seen by any optical or video observation means. Locating the wound to be coagulated is both difficult and time-consuming, all to the disadvantage of the patient.

20 It is an object of this invention to enable the surgeon not only to excise the specimen, but also, if the cutting results in excessive bleeding, then without removing the forceps, to coagulate the wound. As a consequence, the coagulation occurs precisely where it is needed, and without delay to remove the forceps and to find and to place coagulating means where it is needed.

 The problems of holding a specimen while it is being cut loose are well-known. When the

forceps jaws are closed, the sample tends to slip before it is completely trapped. Then the desired tissue may not be caught. This problem, has been addressed and solved in Bales patent No. 5,133,727, in which a pair of articulated jaws enclose a spear between them which impales the tissue and holds it in place while the jaws are closed to cut the specimen free.

5 It is an object of this invention to provide the stabilizing means shown in the Bales patent, and also to provide coagulating means to coagulate the wound while the forceps is still in place, if necessary. While this procedure sacrifices the specimen, it does attend to the wound, and leaves a clean field for a repeat effort to obtain a specimen.

Brief Description of the Invention

10 A forceps according to this invention includes a flexible support cable having a proximal and a distal end. The cable is flexible and tubular. It has an outer wall and an inner wall that forms a central passage.

 A jaw mount is fastened to the support cable at its distal end. Two jaws are pivotally mounted to the jaw mount so as to open and close. They are provided with sharp cutting edges
15 to form an enclosure which when the jaws are closed will retain a tissue specimen that the jaws cut loose when they were closed.

 A control wire passes through the passage in the control cable, and is connected to the jaws so that reciprocating the control wire relative to the support cable will open and close the
 jaws.

20 A stabilizing spear is mounted to the mount. It extends into the enclosure. Its sharp point is directed between the jaws when they are open to spear a specimen to be excised.

 According to this invention, the external wall of the support cable bears a layer of insulation to insulate it from the patient's body. The external wall of that portion of the control wire which is inside the support cable also bears a layer of insulation, thereby insulating the

control wire from the support cable along that part of its length.

The control wire is electrically conductive, and is conductively connected to the jaws and because the jaws and the spear are metal and connected to one another, also to the spear.

Should coagulation be required, a high frequency burst of electrical energy is applied to
5 the control wire and thus to the jaws. The patient himself is connected into the circuit, usually through a metal plate pressed against him. The resulting heat will coagulate the tissue which is in contact with the jaws and the spear.

The above and other features of this invention will be fully understood from the following detailed description and the accompanying drawing, in which:

10 Brief Description of the Drawings

Fig. 1 is a side view, partly in axial cross-section, showing the preferred embodiment of the invention;

Fig. 2 is a back view of Fig. 1 also in partly an axial cross section;

Fig. 3 is a right hand side view taken in Fig. 2, also partly in axial cross-section; and

15 Fig. 4 is a cross section taken at line 4-4 in Fig. 1.

Detailed Description of the Invention

A forceps 10 according to this invention includes a flexible support cable 11. This cable is hollow. It conveniently is formed as a closely wound metal spring with convolutions 12 forcing a central passage 13. A control wire 14 is slidingly fitted in passage 13.

20 The support cable has a proximal end 15 adapted to be attached to control means (not shown), such as a scissors type handle. The cable and the wire are attached to separate parts of the control means so the wire can be shifted axially in the passage.

A jaw mount 20 is attached to the distal end 23 of the cable. It supports electrically conductive jaws 24, 25, which are pivotally mounted to one another. There are various types of

pivotal support for the jaws, of which this is merely one example. The important feature is that the jaws will be opened and closed relative to one another when the control wire is moved one way or the other.

Jaws 24, 25 have respective curved walls 26, 27 that have sharp edges 28, 29. When
5 brought against or past one another they both cut and trap a tissue specimen in the enclosure 30 formed by them.

A metal stabilizing spear 35 is also mounted to the jaw mount. It has a shaft 36 with a pointed end 37 directed into the enclosure. When the forceps, with the jaws open, is pressed against the tissue to be excised, it stabs and stabilizes the tissue against lateral movement while
10 the jaws make the cut.

As discussed this far, the arrangement is conventional. If the cut does not cause excessive bleeding such as by cutting a vein, nothing more is required. However, if such a cut is made, then without more the forceps must be removed, and a coagulator inserted. Then the search begins for the wound. It is a time consuming and potentially difficult task.

15 According to this invention, a layer 40 of insulating materials such as Teflon covers the outer wall of the support cable. It is conveniently applied as a tube and shrunk onto the support cable. It insulates the patient from the cable itself.

Further, a layer 41 of insulating material such as Teflon covers the outer wall of that part of the control wire which is in the passage. Again it can conveniently be applied as a tube and
20 shrunk onto the control wire. This serves to insulate the length of the control wire from the support cable. As will be noted, the conductive mount and the control cable are in contact. However, the proximal end of the cable is not connected into the circuitry. The patient is insulated from the support cable.

A power supply 42 of conventional design, and a control switch 43 are connected to the

control wire. A metal plate 44 against the patient 45 is connected to the power supply, thereby completing a path for the current whose effect is to coagulate tissue that is in contact with the jaws and the spear. After the coagulation is completed, the forceps will be withdrawn.

The tissue sample will have been sacrificed. However, the wound will have been
5 coagulated, and a clean field remains for the next cut after the sample is removed and the forceps is again inserted.

Accordingly a forceps is provided which in addition to its cutting and stabilizing features is provided with coagulating means available for use immediately at the cutting situs should it be needed.

10 This invention is not to be limited by the embodiment shown in the drawings and described in the description, which is given by way of example and not of limitation, but only in accordance with the scope of the appended claims.

What is claimed:

1. In a biopsy forceps having a flexible hollow support cable with a proximal end, a distal end, and a central passage from end to end, an electrically conductive control wire slidably fitted in and extending through said central passage, a mount pivotally supporting a pair of metal jaws to said support cable at its distal end, said jaws having curved walls with sharp cutting edges
5 to form an enclosure when closed to trap an excised tissue specimen, and a metal stabilizing spear, all supported at the distal end of said cable, said spear having a shaft with a pointed end extending into the enclosure when the jaws are closed to stab and stabilize tissue to be excised, the improvement comprising:

insulator means surrounding said control cable from end to end, insulator means
10 surrounding that portion of the control wire which is inside said support cable, said control wire being in electrically conductive contact with said jaws and spear, and adapted to be connected to a source of electrical current.

2. A biopsy forceps according to claim 1 in which said cable is a flexible tightly wound helical spring.

15 3. A biopsy forceps according to claim 1 in which said insulator means are Teflon tubes shrunk onto the support cable and onto the control wire.

4. In combination:

a biopsy forceps according to claim 1, a power supply for electrical current, switch means interconnecting said control wire at its proximal end to said supply, and a conductive plate
20 connected to said power supply for attachment to a patient in whom a biopsy is to be performed.

AMENDED CLAIMS

[received by the International Bureau on 12 April 1996 (12.04.96);
original claims 1 and 3 amended; remaining claims unchanged (1page)]

1. A biopsy forceps apparatus comprising:

a flexible hollow support cable with a proximal end, a distal end and a central passage from end to end, said support cable having an insulating layer surrounding an outer surface of the control cable from end to end;

a single, electrically conductive control wire slidably fitted in and extending through said central passage, said electrically conductive control wire having an insulating layer surrounding that portion of the control wire which is inside said support cable and being connected to an electrically conductive mount at a distal end of the control wire;

an electrically conductive mount connected to said support cable at the distal end thereof, and comprising means for pivotally supporting a pair of electrically conductive metal jaws at the distal end of said support cable, said jaws having curved walls with sharp cutting edges which together form an enclosure when closed to trap an excised tissue specimen;

an electrically conductive spear means for stabilizing and holding tissue to be excised by said jaws, said spear means connected to said mount at the distal end of said support cable, and having a shaft with a pointed end extending into the enclosure formed by said jaws as they are closed to excise tissue; and

means for connection of said electrically conductive control wire to a source of electrical current so as to permit selective energizing of said control wire or mechanical closing of said jaws to excise tissue, and thereby simultaneous energizing of the mount, jaws and spear means;

whereby tissue can be either excised or cauterized by said apparatus, as selected by a user.

2. A biopsy forceps according to claim 1 in which said cable is a flexible tightly wound helical spring.

3. A biopsy forceps according to claim 1 in which said insulator means are tubes of insulative material shrunk onto the support cable and onto the control wire.

4. In combination:

a biopsy forceps according to claim 1, a power supply for electrical current, switch means interconnecting said control wire at its proximal end to said supply, and a conductive plate connected to said power supply for attachment to a patient in whom a biopsy is to be performed.

STATEMENT UNDER ARTICLE 19

Please amend the claims in the above-identified application by cancelling sheets 6 -7 of this application which contain the claims and abstract. Please substitute therefore, sheets 6 - 7, attached hereto, which contain the new claims and abstract to be entered in this application.

In claim 3, reference to the trademarked material "Teflon" has been removed.

As set forth in independent claim 1, applicants' biopsy forceps apparatus is defined as comprising a flexible hollow support cable having an insulating layer surrounding an outer surface of the control cable with a central passage that runs from end to end and a single electrically conductive control wire slidably extending through the central passage of the control cable and provided with an insulating layer surrounding that portion of the control wire which is inside of the support cable. The electrically conductive control wire is connected to an electrically conductive mount at the distal end of the control wire. The electrically conductive mount is comprised in turn of a pivotally supporting pair of electrically conductive metal jaws at the distal end of the support cable. An electrically conductive spear means for stabilizing and holding tissue to be excised by the jaws is connected to the conductive mount. Lastly, claim 1 also defines a means for connection of the electrically conductive control wire to a source of electrical current in order to permit selective energizing of the control wire or mechanical closing of the jaws to excise tissue, thereby simultaneously energizing the mount, jaws and spear means. Accordingly, the apparatus can thereby be used either to excise or cauterize tissue as selected by a user.

The claims submitted herewith place this application into conformity with the amendments entered into the corresponding U.S. application.




FIG. 1




FIG. 2




FIG. 3




FIG. 4

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US95/14516

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) :A61B 10/00

US CL :128/751

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 128/751-754; 606/49-52, 167, 170

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
NONEElectronic data base consulted during the international search (name of data base and, where practicable, search terms used)
NONE

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US, A, 4,953,559 (SALERNO) 04 September 1990, see columns 2 and 3.	1-4
Y	US, A, 5,228,451 (BALES ET AL.) 20 July 1993, see Fg. 2, and column 2.	1-4
Y	US, A, 2,102,270 (M. N. HYAMS) 14 December 1937, see Fig. 3.	4

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

* Special categories of cited documents:	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be part of particular relevance	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier document published on or after the international filing date	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"&" document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means	
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

18 JANUARY 1996

Date of mailing of the international search report

21 FEB 1996

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

MAX HINDENBURG

Telephone No. (703) 308-3130

THE UNIVERSITY OF CHICAGO